



all solutions in one partner®




BOTOLA D'ISPEZIONE
IN CARTONGESSO CON TELAIO IN
ALLUMINIO "SERIE DORIKA™"
LASTRA 13 mm

Botola da soffitto per controllare impianti o ispezionare zone del controsoffitto.

Con dispositivo di apertura clic-clac.

Botola con angolari in plastica.

Gli angolari non hanno gli spigoli vivi, hanno una forma smussata per l'ergonomia ed evitare eventuali infortuni. Nuovo sistema di sicurezza per apertura accidentale (al posto della catenella). Per questa tipologia di botola possiamo fornire, con tempi di consegna molto brevi, altre varianti fuori misura anche di notevoli dimensioni (max. 120 x 300 cm).



MATERIALI

Alluminio naturale. Lastra in cartongesso idro.

AVVERTENZE

- L'utilizzazione e il montaggio del prodotto è esclusivamente riservato al personale esperto
- Il prodotto è monouso nel senso che le caratteristiche di durata stabilità e tenuta sono garantite per una singola applicazione e in nessun caso può essere riutilizzato in altre applicazioni



all solutions in one partner®

SCHEDA TECNICA - CODICE SERIE DORIKA 13™



DATI TECNICI:

CODICE	DIMENSIONI [cm]	DIMENSIONI DEL FORO [cm]	PESO UNITARIO [kg]	CONFEZIONE - PZ.
NAMCP04021BD	20 x 20	20,8 x 20,8	0,90	2
NAMCP04022BD	30 x 30	30,8 x 30,8	1,60	2
NAMCP04023BD	40 x 40	40,8 x 40,8	2,44	2
NAMCP04024BD	50 x 50	50,8 x 50,8	3,50	2
NAMCP04025BD	60 x 60	60,8 x 60,8	4,75	2

FUORI MISURA:

CODICE	DIMENSIONI [cm]	DIMENSIONI DEL FORO [cm]	CONFEZIONE - PZ.
NAMCP04067BD	20 x 30	20,8 x 30,8	2
NAMCP04068BD	20 x 40	20,8 x 40,8	2
NAMCP04069BD	20 x 50	20,8 x 50,8	2
NAMCP04070BD	20 x 60	20,8 x 60,8	2
NAMCP04071BD	20 x 70	20,8 x 70,8	2
NAMCP04072BD	20 x 80	20,8 x 80,8	2
NAMCP04073BD	20 x 90	20,8 x 90,8	2
NAMCP04062BD	20 x 100	20,8 x 100,8	2
NAMCP04074BD	20 x 110	20,8 x 110,8	2
NAMCP04075BD	20 x 120	20,8 x 120,8	2
NAMCP04076BD	30 x 40	30,8 x 40,8	2
NAMCP04055BD	30 x 50	30,8 x 50,8	2
NAMCP04031BD	30 x 60	30,8 x 60,8	2
NAMCP04077BD	30 x 70	30,8 x 70,8	2
NAMCP04078BD	30 x 80	30,8 x 80,8	2
NAMCP04061BD	30 x 90	30,8 x 90,8	2
NAMCP04063BD	30 x 100	30,8 x 100,8	2



all solutions in one partner®

SCHEDA TECNICA - CODICE SERIE DORIKA 13™



CODICE	DIMENSIONI [cm]	DIMENSIONI DEL FORO [cm]	CONFEZIONE - PZ.
NAMCP04079BD	30 x 110	30,8 x 110,8	2
NAMCP04080BD	30 x 120	30,8 x 120,8	2
NAMCP04081BD	40 x 50	40,8 x 50,8	2
NAMCP04027BD	40 x 60	40,8 x 60,8	2
NAMCP04082BD	40 x 70	40,8 x 70,8	2
NAMCP04083BD	40 x 80	40,8 x 80,8	2
NAMCP04026BD	40 x 85	40,8 x 80,8	2
NAMCP04084BD	40 x 90	40,8 x 90,8	2
NAMCP04064BD	40 x 100	40,8 x 100,8	2
NAMCP04085BD	40 x 110	40,8 x 110,8	2
NAMCP04086BD	40 x 120	40,8 x 120,8	2
NAMCP04087BD	50 x 60	50,8 x 60,8	2
NAMCP04088BD	50 x 70	50,8 x 70,8	2
NAMCP04089BD	50 x 80	50,8 x 80,8	2
NAMCP04100BD	50 x 90	50,8 x 90,8	2
NAMCP04057BD	50 x 100	50,8 x 100,8	2
NAMCP04101BD	50 x 110	50,8 x 110,8	2
NAMCP04030SBD	50 x 120	50,8 x 120,8	2
NAMCP04102BD	60 x 70	60,8 x 70,8	2
NAMCP04028BD	60 x 80	60,8 x 80,8	2
NAMCP04103BD	60 x 90	60,8 x 90,8	2
NAMCP04058BD	60 x 100	60,8 x 100,8	2
NAMCP04104BD	60 x 110	60,8 x 110,8	2
NAMCP04066BD	60 x 120	60,8 x 120,8	2
NAMCP04105BD	70 x 70	70,8 x 70,8	2
NAMCP04106BD	70 x 80	70,8 x 80,8	2
NAMCP04107BD	70 x 90	70,8 x 90,8	2



all solutions in one partner®

SCHEDA TECNICA - CODICE SERIE DORIKA 13™



CODICE	DIMENSIONI [cm]	DIMENSIONI DEL FORO [cm]	CONFEZIONE - PZ.
NAMCP04108BD	70 x 100	70,8 x 100,8	2
NAMCP04109BD	70 x 110	70,8 x 110,8	2
NAMCP04110BD	70 x 120	70,8 x 120,8	2
NAMCP04056BD	80 x 80	80,8 x 80,8	2
NAMCP04111BD	80 x 90	80,8 x 90,8	2
NAMCP04060BD	80 x 100	80,8 x 100,8	2
NAMCP04112BD	80 x 110	80,8 x 110,8	2
NAMCP04113BD	80 x 120	80,8 x 120,8	2
NAMCP04059BD	90 x 90	90,8 x 90,8	2
NAMCP04065BD	90 x 100	90,8 x 100,8	2
NAMCP04114BD	90 x 110	90,8 x 110,8	2
NAMCP04115BD	90 x 120	90,8 x 120,8	2
NAMCP04029BD	100 x 100	100,8 x 100,8	2
NAMCP04116BD	100 x 110	100,8 x 110,8	2
NAMCP04117BD	100 x 120	100,8 x 120,8	2
NAMCP04120BD	110 x 110	110,8 x 110,8	2
NAMCP04118BD	110 x 120	110,8 x 120,8	2
NAMCP04119BD	120 x 120	120,8 x 120,8	2

PROPRIETÀ	U.d.M.	VALORE
CARTONGESSO UTILIZZATO NELLO SPORTELLO	-	IDRO
LARGHEZZA PROFILO TELAIO ESTERNO	mm	24
SPESSORE BORDO LAMIERA TELAIO	mm	4
GUARNIZIONE	-	SI
PROFILO SHARK™	-	SI
TIPOLOGIA DI CHIUSURA	-	Con clic-clac



all solutions in one partner®



PLASTERBOARD ACCESS PANEL WITH ALUMINUM FRAME “SERIES DORIKA™” - BOARD 13 mm

Ceiling inspection panel to check installations or false ceiling areas. With click-clack opening device. Inspection panel with plastic corners. The corners do not have sharp edges, they have a rounded shape for ergonomics to avoid possible injuries.

New safety system for accidental opening (instead of the chain). For this type of inspection panel we can supply oversized variations even for considerable dimensions (max. 120 x 300 cm) with very short delivery times.



MATERIALS

Natural aluminum. Board in waterproof plasterboard.

WARNINGS

- The use and assembly of the product is exclusively reserved for skilled staff
- The product is single-use. That means its characteristics of durability, stability and tightness are guaranteed for a single application and in no case it may be reused in other applications



all solutions in one partner®

DATA SHEET - CODE SERIES DORIKA 13™



TECHNICAL DATA:

CODE	DIMENSIONS [cm]	HOLE SIZE [cm]	UNIT WEIGHT [kg]	BOX - PCS
NAMCP04021BD	20 x 20	20,8 x 20,8	0,90	2
NAMCP04022BD	30 x 30	30,8 x 30,8	1,60	2
NAMCP04023BD	40 x 40	40,8 x 40,8	2,44	2
NAMCP04024BD	50 x 50	50,8 x 50,8	3,50	2
NAMCP04025BD	60 x 60	60,8 x 60,8	4,75	2

SPECIAL SIZES:

CODE	DIMENSIONS [cm]	HOLE SIZE [cm]	BOX - PCS
NAMCP04067BD	20 x 30	20,8 x 30,8	2
NAMCP04068BD	20 x 40	20,8 x 40,8	2
NAMCP04069BD	20 x 50	20,8 x 50,8	2
NAMCP04070BD	20 x 60	20,8 x 60,8	2
NAMCP04071BD	20 x 70	20,8 x 70,8	2
NAMCP04072BD	20 x 80	20,8 x 80,8	2
NAMCP04073BD	20 x 90	20,8 x 90,8	2
NAMCP04062BD	20 x 100	20,8 x 100,8	2
NAMCP04074BD	20 x 110	20,8 x 110,8	2
NAMCP04075BD	20 x 120	20,8 x 120,8	2
NAMCP04076BD	30 x 40	30,8 x 40,8	2
NAMCP04055BD	30 x 50	30,8 x 50,8	2
NAMCP04031BD	30 x 60	30,8 x 60,8	2
NAMCP04077BD	30 x 70	30,8 x 70,8	2
NAMCP04078BD	30 x 80	30,8 x 80,8	2
NAMCP04061BD	30 x 90	30,8 x 90,8	2
NAMCP04063BD	30 x 100	30,8 x 100,8	2



all solutions in one partner®

DATA SHEET - CODE SERIES DORIKA 13™



CODE	DIMENSIONS [cm]	HOLE SIZE [cm]	BOX - PCS
NAMCP04079BD	30 x 110	30,8x 110,8	2
NAMCP04080BD	30 x 120	30,8 x 120,8	2
NAMCP04081BD	40 x 50	40,8 x 50,8	2
NAMCP04027BD	40 x 60	40,8 x 60,8	2
NAMCP04082BD	40 x 70	40,8 x 70,8	2
NAMCP04083BD	40 x 80	40,8 x 80,8	2
NAMCP04026BD	40 x 85	40,8 x 80,8	2
NAMCP04084BD	40 x 90	40,8 x 90,8	2
NAMCP04064BD	40 x 100	40,8 x 100,8	2
NAMCP04085BD	40 x 110	40,8 x 110,8	2
NAMCP04086BD	40 x 120	40,8 x 120,8	2
NAMCP04087BD	50 x 60	50,8 x 60,8	2
NAMCP04088BD	50 x 70	50,8 x 70,8	2
NAMCP04089BD	50 x 80	50,8 x 80,8	2
NAMCP04100BD	50 x 90	50,8 x 90,8	2
NAMCP04057BD	50 x 100	50,8 x 100,8	2
NAMCP04101BD	50 x 110	50,8 x 110,8	2
NAMCP04030SBD	50 x 120	50,8 x 120,8	2
NAMCP04102BD	60 x 70	60,8 x 70,8	2
NAMCP04028BD	60 x 80	60,8 x 80,8	2
NAMCP04103BD	60 x 90	60,8 x 90,8	2
NAMCP04058BD	60 x 100	60,8 x 100,8	2
NAMCP04104BD	60 x 110	60,8 x 110,8	2
NAMCP04066BD	60 x 120	60,8 x 120,8	2
NAMCP04105BD	70 x 70	70,8 x 70,8	2
NAMCP04106BD	70 x 80	70,8 x 80,8	2
NAMCP04107BD	70 x 90	70,8 x 90,8	2



all solutions in one partner®

DATA SHEET - CODE SERIES DORIKA 13™



CODE	DIMENSIONS [cm]	HOLE SIZE [cm]	BOX - PCS
NAMCP04108BD	70 x 100	70,8 x 100,8	2
NAMCP04109BD	70 x 110	70,8 x 110,8	2
NAMCP04110BD	70 x 120	70,8 x 120,8	2
NAMCP04056BD	80 x 80	80,8 x 80,8	2
NAMCP04111BD	80 x 90	80,8 x 90,8	2
NAMCP04060BD	80 x 100	80,8 x 100,8	2
NAMCP04112BD	80 x 110	80,8 x 110,8	2
NAMCP04113BD	80 x 120	80,8 x 120,8	2
NAMCP04059BD	90 x 90	90,8 x 90,8	2
NAMCP04065BD	90 x 100	90,8 x 100,8	2
NAMCP04114BD	90 x 110	90,8 x 110,8	2
NAMCP04115BD	90 x 120	90,8 x 120,8	2
NAMCP04029BD	100 x 100	100,8 x 100,8	2
NAMCP04116BD	100 x 110	100,8 x 110,8	2
NAMCP04117BD	100 x 120	100,8 x 120,8	2
NAMCP04120BD	110 x 110	110,8 x 110,8	2
NAMCP04118BD	110 x 120	110,8 x 120,8	2
NAMCP04119BD	120 x 120	120,8 x 120,8	2

PROPERTIES	U.o.M.	VALUE
PLASTERBOARD USED IN THE DOOR	-	HYDRO
OUTER FRAME PROFILE WIDTH	mm	24
FRAME SHEET THICKNESS	mm	4
GASKET	-	SI
SHARK™ PROFILE	-	SI
TYPE OF CLOSURE	-	With click-clack